www.ramaroshanmun.gov.np Email-

icto.ramaroshanmun@gmail.com



रामारोशन गाउँपालिका

गाउँ कार्यपालिकाको कार्यालय

शान्तडा अछाम

सुदूर पश्चिम प्रदेश -नेपाल

क्याटलग /ब्रोसर सपिङ विधिबाट सवारी साधन खरिद सम्बन्धि सिलबन्दी प्रस्ताब आह्वानको सुचना

प्रथम पटक प्रकाशित मिती:- २०७८।०३।०९

यस कार्यालयको आ.व. २०७७/०७८ को स्विकृत वार्षिक कार्यक्रम अनुसार देहाय बमोजिमको सवारी साधन सार्बजिनक सार्वजिनक खरिद ऐन, २०६३ (पहिलो संशोधन) २०७३को दफा ८ को उपदफा (१) (क) (८) तथा सार्वजिनक खरिद नियमावती, २०६४ (चौथो संसोधन २०७३) को नियम ३१ ख बमोजिम त्यस्तो सवारी साधन उत्पादक (Manufacturer) कम्पनी वा सो को नेपालका लागि आधिकारिक बिक्रेता (Importer) हरु बिच मात्र प्रतिस्पर्धा गराउने (क्याटलक सिपङ) बिधिबाट खरिद गर्नुपर्ने भएकोले सार्वजिनक खरिद नियमावती, २०६४ को नियम ३१ ख को उपनियम २ अनुसार देहाय बमोजिमको सवारी साधनको उत्पादकको (Manufacturer) तथा आधिकारिक स्पेशिफिकेशन , गुणस्तर र कम्पनीको आधिकारिक मुल्य खुल्ने कागजात क्याटलग(ब्रोसर) संलग्न राखि तपशिलमा उल्लेख भए बमोजिमको प्रस्ताब दर्ता गराउन हुन सम्बन्धीत उत्पादक वा आधिकारिक बिक्रेताको जानकारीको लागी यो सूचना प्रकाशित गरिएको छ ।

- १. यस कार्यालयबाट स्वीकृत सवारी साधनको विस्तृत प्राविधिक स्पेशिफिकेशन यस कार्यालयबाट निशुल्क प्राप्त गर्न सिकनेछ |
- 2. उक्त कागजात लिनका लागि इच्छुक सवारी साधन उत्पादक कम्पनी वा सो को नेपालका लागि आधिकारिक बिक्रेताले उक्त सवारी साधन बिक्री बितरण गर्न नेपाल सरकारको सम्बन्धित निकायबाट प्राप्त भएको अनुमितपत्र सोको अद्दृध्याविधक निवकरण भएको पत्र, स्थायी लेखा नम्बर तथा मु.अ. कर दर्ता प्रमाणपत्र आ.ब. २०७६/०७७ सम्मको कर चुक्ता गरेको प्रमाणित कागजात उक्त सवारी साधनको उत्पादक कम्पनीले जारी गरेको क्याटलग, आधिकारीक बिक्रेता भएको प्रमाणपत्र र कार्य अनुभवको प्रमाणपत्र सहितका कागजात सहित यो सुचना प्रकाशीत भएको मितिले ७ औ दिन १२ ;०० बजे सम्म यस कार्यालयका उपस्थित हुनु पर्ने छ |
- 3. यो सुचना प्रकाशित भएको मितिले ७ औ दिन १२ ;०० बजे सम्म यस कार्यालयमा सिलबन्दि प्रस्ताब दर्ता गराउन सिकनेछ तथा दर्ता गरिएका सिलबन्दि प्रस्तावहरु सोहि दिन २ ;०० बजे खोलिनेछ |
- ४. प्राप्त प्रस्ताब र क्याट्लगको मुल्याङ्कन पश्चात सुचिकृत हुने उत्पादक वा आधिकारिक बिक्रेता कम्पनिहरुले मात्र सिलबन्दि आर्थिक प्रस्ताब पेश गर्ने सक्नेछ।
- प्रस्ताब दर्ता गर्ने अन्तिम दिन सार्बजनिक बिदा परेमा बिदा पछिको कार्यालय खुलेको दिनलाई अन्तिम दिन मानिनेछ |
- ६. सिलबन्दि प्रस्तांब स्वीकृत वा स्थागित अन्य सबै कुराहरुको अधिकार कार्यालयमा निहित रहने छ |

आवश्यक एम्बुलेन्स को विविरण

क्र.सं.	खरिद गर्नुपर्ने मालसामानको नाम	संक्षिप्त बिवरण	कैफियत
\$	एम्बुलेन्स	High Roof 4WD Ambulance Minimum 1850 CC Max. Power output at governed RPM: Not Less than 60 Ps . Max . Torque Output at governed RPM: Not Less than 190 Nm . Ground Clearance :minimum 190mm, 1 Year warranty After Aceptance	संक्षिप्त विवरणमा उल्लेख नभएका कुराहरु स्विकृत Technical Specification बमोजिम हुनेछ

तराम बहादुर भण्डारी

नि. प्रमुख प्रशासकिय अधिकृत



Owner: Ramaroshan rural municipality office Santada Achham

Vehicle name: High Roof 4WD Ambulance

Quantity: 1 Unit

S. N.	CRITERIA	OFFICE REQUIREMENT	OFFERED SPECIFICATION
1	General	High Roof 4WD Ambulance suitable for hilly rough road driving in Nepal. GVW of the Vehicle shall not be less than 2400kg. Pay-load not less than 750 kg and shall have seating capacity at least 5 attendants including driver and having at least one patient's foldable Stretcher. There should be isolated partition with transparent window between	Make: Model: Country of Origin: Year of Manufacture:
		driver's cabin and patient compartment.	
2	Engine	4-Stroke, Water cooled Diesel Engine, Displacement of the engine shall not be less than 1850 cc, developing Maximum rated power output not less than 60 HP and Maximum torque should not be less than 190 N-m at governed RPM, shall fully equipped with accessories for efficient full load operation of the Ambulance.	Make: Model: Power: Torque: Displacement:
3	Emission Standard	The Emission standard of the vehicle should be capable of meeting applicable Nepal Vehicle Mass emission standard, 2069, which is to be certified by Department of Transport Management, Nepal	,
4	Gauges	To include speedometer, water temperature, fuel gauge, oil pressure, transmission gauge, signal for 4 WD etc. as necessary for efficient operation and maintenance.	
5	Clutch	Single Dry Plate	
6	Transmission	Manual shift at least five forward and one reverse, all forward synchromesh.	
7	Ground clearance	High ground clearance preferred, minimum 190 mm.	
8	Wheel base	Not less than 2425 mm	
9.	Fuel tank Capacity	Minimum 55 ltrs	
10	Suspension	Front:-Coil springs/torsion bar/ Shock absorber. Rear:-Leaf spring /Shock absorbers.	
11	Turning Radius	Not more than 6.5 m	
12	Tires	Standard size	
13	Steering	Power Steering	
14	Brakes	Front : Disc / Drum type, Rear: Disc / Drum type	
15	Cab	Four doors, all metallic cab with insulated roof, laminated/tinted glass windscreen, washers and wipers, glass windows on doors, comfortable and adjustable seats for driver and passenger, having foldable stretcher for patient, floor mats, two sun visors, rear view mirror, and two side view mirrors.	

75)5,50

Dones Jan

16	Chassis and frame	Steel, heavy duty suitable for driving in rough road conditions with toe-hook	
17	Essential Accessories	Head light, tail and rear light, reversing light and turn signals. Cabin lights	
		3. Speedometer / odometer.	
		Heavy duty bumper. One Spare wheel with tyre and tube. *	
		6. Suitable Jack& Handle	
		7. Seat belt for driver and co-driver.	
		8. Stretcher cum Bed	
		9. Bench seats for paramedics	
		10. I.V. bottle holding hooks 11. First aid box	
		12. Wide 180 deg. Opening rear door	
		13. Anti-skid flooring	
	0	14. Overhead revolving beacon (As per Nepal standard)	
		15. Siren	
		16. Oxygen cylinder holder Equipped with all accessories offered in standard	
		model but not limited to the above items.	
18	Instructions	All signs and instructions in the vehicle shall be in English.	
19	Manuals	One copy of the Operator's and Owner's Instructions in English shall be supplied with each vehicle.	,
20	Tools	A set of tools as required for general maintenance shall be supplied.	
21	Color -	Standard color	
22	Proven performance	The bidder shall provide the manufacturer's data of the performance of the unit to include the fuel consumption, performance curve of the engine	
23	Warranty	Manufacturer shall provide a minimum of one-year warranty after acceptance.	CONTRACTOR OF THE CONTRACTOR O
24	Delivery	The high Roof Ambulance one unit shall be delivered to: Ramaroshan rural municipality office Santada, Achham.	•

Notes:

- The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non- compliance of theses major items will result in non-responsiveness.
- The bidder must fill up the required technical data for vehicle in the above offered specification column and should be verified by the corresponding catalogue, broucer or any relevant data sheet related to such ambulance.

3. The bidder have to submit the approved documents of the similar Ambulance already supplied in government or non-government organization in Nepal.

Approved By:

Bidder's Signature.....

Prepared By:

Bharat kumar karki Mechanical Engineer

NEC No.: 5390 Mechanical "A"

2